

1. A previous Examiner's Amendment was sent out to claims 137 and 143. This Examiner's amendment is to correct claim 137, based on the Examiner's Amendment that was mailed June 18, 2008.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Melvin Barnes on June 16, 2008.

The application has been amended as follows:

In claim 137, line 17 (last line of claim), after "capacitively coupling the", please delete "second data signal" and insert "third data signal" before "to the power line".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Davetta W. Goins whose telephone number is 571-272-2957. The examiner can normally be reached on Mon-Fri with every other Fri. off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Wu can be reached on 571-272-2964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Davetta W. Goins/  
Primary Examiner  
Art Unit 2612